Kough Draft

FIELD RETROFIT INSTRUCTIONS
FOR THE MARINER '76 FOR REMOTE CONTROL

JUN 29 1976

## General Description

The field retrofit kit adds eleven wire, two P.C. boards (A5 and A6), one fuseholder, two diodes and three plug-in cables to the Mariner '76 Transceiver for operation with the Mariner '76 Remote Control unit.

Check the contents of the kit with the enclosed list of materials (LM ) for any omissions. Follow the instructions in order for ease of installation.

#### Instructions

- 1. Remove the cover of the transceiver. Save the screws. The old cover is no longer needed. It is replaced by the new cover included in the kit.
- 2. On very early versions of the transceiver, holes were not provided for mounting the A5 and A6 boards. Drawing No. shows the location and size of these holes, if needed.
- 3. Remove the hex spacer and  $4-40 \times 1/2$ " screw from the corner of the Al board and replace it with a  $4-40 \times 3/16$ " screw from the board side.
- 4. Unplug the two ribbon cable jumpers between the Al and A4 boards.
- 5. Mount the A5 board with two 4-40 x 3/16" screws perpendicular to the chassis. The control connector should protrude from the back of the transceiver.
- 6. Mount the A6 board with four snap-in standoffs. Be sure the board is correctly oriented.



- 7. Install the fuseholder on the back panel to complete the mechanical assembly phase.
- 8. Unplug the black and white wires from the HI/LO pin on the A2 board. Fold back and insulate with the 1/4" shrink tube or tape.
- 9. Cut the jumper shown on the A2 board.
- 10. Bend the adjacent terminals between the two fuseholders together as shown and solder them together.
- 11. There are ll wires in the kit. Five of these are larger #18

  AWG and the other six smaller, #24 AWG. The wiring diagram shows these wires installed as well as all existing wires.

  The wires to be installed are identified by reference numbers and, where required, each has sockets crimped to the ends.

  Soldering is required only at the ON/OFF switch and at the fuseholders. Install and route the wires as shown.
- 12. Unplug the center wire from the select light. Solder a 1N4002 diode in series with this wire. Note the polarity.
- 13. Check that a diode has been added on the bottom of the A4 board as shown on the wiring diagram. If not, to cut the trace and add the diode (1N4002), it will be necessary to remove the front panel and bezel (refer to "Mariner '76 Mounting and Front Panel Reversal").
- 14. Install the three ribbon cables making sure Pin 1 of the cable connectors matches Pin 1 of the sockets. Bend the cables as shown in the wiring diagram. Cable A has three plugs on it. Cables B and C have two plugs each. Route cables away from the Al board to prevent circuit detuning.
- 15. Install the 2 amp fuse.

### Checkout and Adjustments

The Mariner '76 Transceiver is now ready to checkout. Apply power and attach a dummy load to the antenna. Do NOT connect the remote control cable yet. Try out the transceiver per the Mariner '76 Owner's Manual. All controls should function as before conversion.

Adjust R5 on the A6 board for 0.7 to 1.0 watts output in low power.

Install the new cover with the cable socket cut-out using two  $6-32 \times 1/4$ " screws and two  $4-40 \times 3/8$ " screws.

Refer to the remote control Owner's and Installation Manual for system installation and checkout.


STORES NO ACTORESONES

The deciment of transporters in most account to the country of the

Mariner Pa you that he board top 0.7-to 1.0 wiets cordine to low power


and the souther some of the same of the south of the south


THE RESIDENCE CONTRACT OF THE PROPERTY OF THE





Note: (4.0.5.)
1.13 INSTALLED FROM FAR SIDE.

CONTROL TO STATE THE CONTROL STATE CLARA
CONTROL TO STATE CLARA
CONTROL TO STATE CLARA
CONTROL TO STATE CLARA
CONTROL TO STATE CONTROL TO STATE CLARA
CONTROL TO STATE CONTROL T












THIS IS A STANDARD PROPRIETARY PRODUCT DEVELOPED, MANIFACTURED, AND MARKETED BY INTECH, INC. THE DESIGN IS THE EXCLUSIVE PROPERTY OF INTECH.


DRAWN CHECKED APPROVED

REVISIONS

DESCRIPTION


SYM DATE






0							
					1	Y	
INTECH INCORPORATED	95056						0F -
NCO	¥17			ບ 2		9	
ECH A	LIFOR			3		, (i)	SHEET
ZX	V C	7 0	9 [ 1	C R	0 2	151	SH
1	7	7/ 10 0/-	<u> </u>	HSSEMBLY DRAWING	AWING	3	
1		7/	0	Ω Σ	OM	2	
100	3	1		50E	H IDEN	396	2:1
O.E.		97111	(	T	SIZE COBE IDENT NO DEAWING NO	B  33967   3-157036	SCALE 2:1
36	3		_		E	an T	×
K V age, 5-4-76 FOR	17-1-12 C-4-72	ENG &	01/2 1/1/2		9	0.A	
\$ T	3	4		< a a :	0	<b>4</b> ·	
	L				¥ .		
	CHIEF COLUMN CONTROL		ALL BESISTOES ARE 1/4 W, 3 %, AND ARE IN OHMS 6-AVERAGE VALING SHOWAN OPTIMISM	VALUE SELECTED AT FACTORY TEST. [XXX] TYPHCAL SHOWAL LEVEL9XP PC. BOARD PIN CONNECTOR DESIGNAL.	-(X) P.C. BOARD WIRNED TRIMINAL DISEBAL -(X) COMPONENT LEAD DESIGNATION.	Ø - SCREWBRIVER ABJUST.	
			ALL RESISTORS ARE 1/4 W, 2 %, AND MARE IN COMMS.	WALUE STECTED AT PACTORY TEST. [XAZ] TYPICAL SIGNAL LIVESTAX P.C. BOARD PHY CONNECTOR DESIGNAL	-(S) P.C. BOARD WITHOUT TRANSACE DESIGNAL -(3) COMPONENT LEAD DESIGNATION	76-18 0- KRITWORING ABJUST.	USED ON
			ALL RESISTORS ARE 1/4 W, 3 %, AND ARE IN OHMS	WALUE STEETED AT PACTORY TEST, [XXX] TYPICAL SORMAL THYRE, TXX P.C. DOARD PIN CONNECTOR DEADM.	-(S) P.C. BOARD WITHOUT TRIMINAL DISEASE, -(3) COMPONINT LEAD DESIGNATION.		NEXT ASSY USED ON

013







walt Kallen

FIELD &THETHERE INSTRUCTIONS (408) 244-0500 FIRST THE MARINER 76 FOR PENOTE CONTROL

# & GENERAL DESCRIPTION

826 PV -17

THE FIELD RETROFIT KIT IS DESIGNED TO ALLOW THE BET ATTACHMENT OF THE MARINER REMOTE CONTROL WITH THE MARINER 76 TRANSCIEVER . THE KIT HALLED CONTAINS AN TEINTERPACE BOARD (AS) AMD A TRANSMIT REGULATOR BOARD (A6), AND ALL THERE REQUIRED WIRES AND HARDWARE

BEFORE PRECEDING, CHECK THE CONTENTS OF THE KIT WITH THE ENCLOSED LISTOF MATERIALS (LM ) THE THE FOR ANY OMISSIONS , FOLLOW THE INSTRUCTIONS IN THE ORDER .

## INSTRUCTIONS - HELLA

- 1. OPEN THE MIMEINER 76 TRANSCEIVER, SAVE THE SCREWS
- 2. OF COMPARE THE CHASSIS WITH THE THE ENCLOSED WIRING DIAGRAM (5-157007). THE CHASSIS MIJST MAYE THE MOUNTING HOLES FOR THE AS AND AG BOARDS, (SOME EHICLY BEARDS CHASSIS DO NOT HAVE THESE HOLES , CONSULT THE PACTURY FOR DRILLING INSTRUCTIONS.)
- 3 MOUNT THE AS BOARD (157007) WITH TWO 3/16 4-40 SCHOWS MNO 1/2 74-40 SCREN
- 03 REMOVE THE HEX SPACER FROM THE CORNER OF THE AT BOARD AND REPLACE WITH 3/16 4-408 SCREW,
- PREMOVE THE TWO FLEX CABLE JUMPERS BETWEEN THE ALL AND AY BOARDS.
- 1/ 3- MOUNT THE AS BOARD WITH TWO 3/16 4-40 BCREWS AS SHOWN. THE CONTROL . CONNECTOR SHOULD PROTRUDE FROM THE BACK OF THE TRANSCIEVER
- Al Board CG. MOUNT THE A WITH FOUR SNAP-IN STANDOFFS. BE SURE A BOARD IS CORRECTLY ORIENTED.
- 7. INSTALL THE FILSE HOLDER ON THE BACK PANIEL. THIS COMPLETES THE INECHTALICHE ASSEMBLY PHASE.



& THERE ARE IL WIRES IN THE KIT. THE HEAVY WIRES ARE IDENTIFIED AS # 18 AUG. ALL OTHERS ARE THE SMALLER =24 AWG. THE WIRING DIAGRAM (5-157007) SHOWS THE LOCATION AUTING OF THESE WIRES , ALL EXISTING WIRES ARE ALSO SMOWN. ADDED WIRES ARE IDENTIFIED BY & REFE PLUG IN THE WIRES AS SHOWN. SOLDERING WILL BE REQUIRED AT THE DY-OFF SWITCH ANI) AT THE \$ FUSE HOLDERS.

18. PUNDUG THE BATKK AND WHITE WIRES FROM THE HILLO PIN ON THE AZ BOARD. FOLD BACK AND COVER WITH THE 14" SHRINK TUBE , SHRINK WITH A HEATAUN OR GAS CIGARETTE LIGHTER CUT THE WHILE ON THE AZ BOARD ADJACENT RETWEEN THE TWO FUSE HOLDERS TOGETHER


AS SPICKEN,

II. UNRUG THE CENTRE WIRE FROM THE SELECT LITE AND THE DADE (THE SOLDER A IN4002 DIODE INGSERICS WITH THIS WIRE.

IP. EL CUT A TRACE AND ADD A DIODE (INYOOZ) ON THE BOTTOM OF THE AY BOARD AS SHOWN ON THE WIRING DIAGRAM. FIRST CHECK IF THE DIODE MAS BEEN FACTORY INSTALLED & IF NOT FOR IT WILL BE NECESSARY TO REMOVE THE FRONT PANEL AND BEZER TO PORFORM THIS CHANGE. REFER TO FOR THE REMOVING THE INSTRUCTIONS

13. INSTALL THE THREE RIBBON CABLES, AS SHOULD BEND THE COME CABLES AS SHOWN IN THE WIRING DIAGRAM. CABLE A HAS THREE PLUGS ON IT. CABLES B AND IC HAVE TWO PLISS EACH. MAKE SURE PIN 1 OF THE CAGLE CUNNECTURS MATCHES PIN 1 OF THE SOCKETS , ROUTE GABLES AWAY FROM THE ALBOARD TO PREVENT CIRCUIT DETUNING,

14 INSTALL THE 2AMP FUSE



# CHECKOUT AND ADJUSTMENTS

7.17

THE MARRINGR TE TRANSCIEVER IS NOW READY TO CHECK-OUT. ATTACH

FOWER AND ATTACH

CONNECT THE REMOTE CONTROL CABLE YET. TRY OUT THE

TRANSCIEVER PER THE MARRINGR TE OWNER MANUAL.

ALL CONTROLS FOR FUNCTIONS THE PAS INTEREST.

ADJUST THE RE ON THE AG BOARD FOR . TO 1.0 WATTS
OUTPUT IN LOW POWER. IF NO WATTMETER IS AVAILABLE, SEE ADJUST RE
THE FOR \_\_\_ AMPS CURRENT AT 13.6 VOLTS INPUT.

INSTALL THE COVER WITH TWO 1/4 6-32 SCREWS AND TWO 3/8 4-40 SCREWS.

INSTALL THE REMOTE CABLE AND REMOTE CONTROL . REFER TO THE MATERIAL REMOTE CONTROL CUNIERS AND INSTALLATION AND CHECKOUT.

DESCH		Constitution of the consti	as examination. (5) Companions of the contraction o	To company the second s	1	100	S. A. S.
OR						-	12
CO No.					5-2		CHKD
DATE							F. S.
REV LTR				245	ENG 7/2	6-23-76 A EN	DRAWN
	A6 Gnd - A3 Gnd Lug	<b>—</b>	GA 2"	B1k #24	1 B	3600 0409	20
	Gnd Lug at Fuse - A5 Gnd	H	" 2"	Blk "	1 B	3600 0409	19
	A5 - A6 .	2	15"	Wht "	1 W	3600 0408	18
	A4 REM Lite - Al R+	2	4"	Blue "	1 B	3600 0405	17
	A5 - A6	2	15"	Grn "	1 G	3600 0404	16
	A2 B+ - A2 HI/LO	2	GA 2"	Red #24	1 R	3600 0401	15
	A6 REM HI/LO - A2 HI/LO REM	2	GA 10"	Vio #18	1 V	3600 0131	14
	A6 Kl - On/Off Switch	Ъ	" 16"	=	H	3600 0126	13
	A6 Kl - 6A Fuse	Н	9"	=	⊢	3600 0126	12
	A6 B+ - On/Off Switch	P	6=	=	1	3600 0126	11
	2A Fuse - A5 B+	1	GA 3"	Red #18	1 R	3600 0126	10
	From - To	# Terminals					
				Dip Locks	3 D	1440 0053	8
				Pin Sockets	16 P	1431 0019	7
		J4		" "	٢	1400 0004	6
		J5,6	sy	p Cable As	2 Di	1400 0003	5
							4
CHG	REMARKS/MANUFACTURER/SUBSTITUTE	REF DESIG.	DESCRIPTION	DESC	ALD	PART No.	ITEM
A	м 157074 1 <b>ОF</b> 1	Assy	76-1R Harness Sub- <i>F</i>	ATERIALS		T OF MAT	
REV	DWG No. PAGE RI		UNIT			RCA I	1

	5	1	15	1 12	100	100	12		1-	T X	-15	9,11	100	1	1/10	100	10	11	111		10	19	10	K	1
17-36	2.							100																	
				1 19				13/3																	
3.7					-																				
1.																									
											-														
191																									
-																									
-1-0																									
1,15%	-																								
													1												
111													-												
15.																									
					-																				
1																									
1																									
-																									
4																									
1																									
3																									
11 1																									
1																									
1																									
l k																									
114																									
711																									